#6

SEQUENCE LISTING

<110> Dragic, Tatjana
Olson, Wlliam C.

<120> SULFATED CCR5 PEPTIDES FOR HIV-1 INFECTION

<130> 61010-AB-1

<140> US 10/086,814
<141> 2002-02-28

<160> 38

<170> PatentIn version 3.1

<210> 1
<211> 352
<212> PRT
<213> Homo sapiens

<400> 1

Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr
1 5 10 15

Ser Glu Pro Cys Gln Lys Ile Asn Val Lys Gln Ile Ala Ala Arg Leu
20 25 30

Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn
35 40 45

Met Leu Val Ile Leu Ile Leu Ile Asn Cys Lys Arg Leu Lys Ser Met
50 55 60

Thr Asp Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp Leu Phe Phe Leu
65 70 75 80

Leu Thr Val Pro Phe Trp Ala His Tyr Ala Ala Ala Gln Trp Asp Phe
85 90 95

Gly Asn Thr Met Cys Gln Leu Leu Thr Gly Leu Tyr Phe Ile Gly Phe
100 105 110

Phe Ser Gly Ile Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu
115 120 125

Ala Val Val His Ala Val Phe Ala Leu Lys Ala Arg Thr Val Thr Phe
130 135 140

Gly Val Val Thr Ser Val Ile Thr Trp Val Val Ala Val Phe Ala Ser
145 150 155 160

Leu Pro Gly Ile Ile Phe Thr Arg Ser Gln Lys Glu Gly Leu His Tyr
165 170 175

Thr Cys Ser Ser His Phe Pro Tyr Ser Gln Tyr Gln Phe Trp Lys Asn
180 185 190

Phe Gln Thr Leu Lys Ile Val Ile Leu Gly Leu Val Leu Pro Leu Leu
195 200 205

Val Met Val Ile Cys Tyr Ser Gly Ile Leu Lys Thr Leu Leu Arg Cys
210 215 220

Arg Asn Glu Lys Lys Arg His Arg Ala Val Arg Leu Ile Phe Thr Ile
225 230 235 240

Met Ile Val Tyr Phe Leu Phe Trp Ala Pro Tyr Asn Ile Val Leu Leu
245 250 255

Leu Asn Thr Phe Gln Glu Phe Phe Gly Leu Asn Asn Cys Ser Ser Ser
260 265 270

Asn Arg Leu Asp Gln Ala Met Gln Val Thr Glu Thr Leu Gly Met Thr
275 280 285

His Cys Cys Ile Asn Pro Ile Ile Tyr Ala Phe Val Gly Glu Lys Phe
290 295 300

Arg Asn Tyr Leu Leu Val Phe Phe Gln Lys His Ile Ala Lys Arg Phe
305 310 315 320

Cys Lys Cys Cys Ser Ile Phe Gln Gln Glu Ala Pro Glu Arg Ala Ser
325 330 335

Ser Val Tyr Thr Arg Ser Thr Gly Glu Gln Glu Ile Ser Val Gly Leu
340 345 350

<210> 2
<211> 1376
<212> DNA
<213> Homo sapiens

<400> 2
gaattccccc aacagagcca agctctccat ctagtggaca gggaagctag cagcaaacct
60

tcccttcact acaaaacttc attgcttggc caaaaagaga gttaattcaa tgtagacatc
120

tatgtaggca attaaaaacc tattgatgta taaaacagtt tgcattcatg gagggcaact
180

aaatacattc taggacttta taaaagatca ctttttattt atgcacaggg tggaacaaga
240

tggattatca agtgtcaagt ccaatctatg acatcaatta ttatacatcg gagccctgcc
300

aaaaaatcaa tgtgaagcaa atcgcagccc gcctcctgcc tccgctctac tcactggtgt
360

tcatctttgg ttttgtgggc aacatgctgg tcatcctcat cctgataaac tgcaaaaggc
420

tgaagagcat gactgacatc tacctgctca acctggccat ctctgacctg ttttttccttc
480

ttactgtccc cttctgggct cactatgctg ccgcccagtg ggactttgga aatacaatgt
540

gtcaactctt gacagggctc tattttatag gcttcttctc tggaatcttc ttcatcatcc
600

tcctgacaat cgataggtac ctggctgtcg tccatgctgt gtttgcttta aaagccagga
660

cggtcacctt tggggtggtg acaagtgtga tcacttgggt ggtggctgtg tttgcgtctc
720

tcccaggaat catctttacc agatctcaaa aagaaggtct tcattacacc tgcagctctc
780

attttccata cagtcagtat caattctgga agaatttcca gacattaaag atagtcatct
840

tggggctggt cctgccgctg cttgtcatgg tcatctgcta ctcgggaatc ctaaaaactc
900

tgcttcggtg tcgaaatgag aagaagaggc acagggctgt gaggcttatc ttcaccatca
960

tgattgttta ttttctcttc tgggctccct acaacattgt ccttctcctg aacaccttcc
1020

aggaattctt tggcctgaat aattgcagta gctctaacag gttggaccaa gctatgcagg
1080

tgacagagac tcttgggatg acgcactgct gcatcaaccc catcatctat gcctttgtcg

1140

gggagaagtt cagaaactac ctcttagtct tcttccaaaa gcacattgcc aaacgcttct
1200

gcaaatgctg ttctattttc cagcaagagg ctcccgagcg agcaagctca gtttacaccc
1260

gatccactgg ggagcaggaa atatctgtgg gcttgtgaca cggactcaag tgggctggtg
1320

acccagtcag agttgtgcac atggcttagt tttcatacac agcctgggct gggggt
1376

<210> 3
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Any amino acid

<400> 3

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 4
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence

set forth in SEQ ID NO: 1 beginning with the Ile at positi
on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are
more
than 2 amino acids, they have a sequence identical to the s
equenc
e set forth in SEQ ID NO: 1 beginning with the Glu at posit
ion 18
and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 4

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 5
<211> 12

<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more
than 2 amino acids, they have a sequence identical to the s equenc
e set forth in SEQ ID NO: 1 beginning with the Glu at posit ion 18
and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 5

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 6
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 6

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 7
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE

<223> Xaa is any amino acid

<400> 7

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 8
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<400> 8

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 9
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more
than 2 amino acids, they have a sequence identical to the s equenc
e set forth in SEQ ID NO: 1 beginning with the Glu at posit ion 18
and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES

<222> (12)..(12)
<223> AMIDATION

<400> 9

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 10
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are

more
than 2 amino acids, they have a sequence identical to the s
equenc
e set forth in SEQ ID NO: 1 beginning with the Glu at posit
ion 18
and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 10

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 11
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are
more t
han 2 amino acids, they have a sequence identical to the se

quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi
on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are
more
than 2 amino acids, they have a sequence identical to the s
equenc
e set forth in SEQ ID NO: 1 beginning with the Glu at posit
ion 18
and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 11

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 12
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)

<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 12

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 13
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more
than 2 amino acids, they have a sequence identical to the s equenc
e set forth in SEQ ID NO: 1 beginning with the Glu at posit ion 18
and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 13

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 14
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES

<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 14 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 14

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 15
<211> 12
<212> PRT

<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar e more
than 2 amino acids, they have a sequence identical to the sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi tion 1
8 and extending therefrom in the carboxy terminal direction .

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 15

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 16
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar
e more
than 2 amino acids, they have a sequence identical to the
sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi
tion 1
8 and extending therefrom in the carboxy terminal direction
.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 16

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 17
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are
more t
han 2 amino acids, they have a sequence identical to the se
quence

set forth in SEQ ID NO: 1 beginning with the Ile at positi
on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar
e more
than 2 amino acids, they have a sequence identical to the
sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi
tion 1
8 and extending therefrom in the carboxy terminal direction
.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 17

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 18

<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)

<223> Xaa represents from 0 to 334 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 18

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 19
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are

more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Ile at position 9 and extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 19

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 20
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar e more
than 2 amino acids, they have a sequence identical to the

sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi
tion 1
8 and extending therefrom in the carboxy terminal direction
.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<400> 20

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 21
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are
more t
han 2 amino acids, they have a sequence identical to the se
quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi
on 9 a
nd extending therefrom in the amino terminal direction.

<220>

<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 21

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 22

<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar e more
than 2 amino acids, they have a sequence identical to the sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi tion 1
8 and extending therefrom in the carboxy terminal direction .

<220>
<221> MISC_FEATURE

<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 22

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 23
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there are more
than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 23

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 24
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (7)..(7)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar e more
than 2 amino acids, they have a sequence identical to the

sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi
tion 1
8 and extending therefrom in the carboxy terminal direction
.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 24

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 25
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (7)..(8)
<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there ar e more
than 2 amino acids, they have a sequence identical to the sequen
ce set forth in SEQ ID NO: 1 beginning with the Glu at posi tion 1
8 and extending therefrom in the carboxy terminal direction .

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 25

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 26
<211> 12
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents from 0 to 9 amino acids, where if there are more t
han 2 amino acids, they have a sequence identical to the se quence
set forth in SEQ ID NO: 1 beginning with the Ile at positi on 9 a
nd extending therefrom in the amino terminal direction.

<220>
<221> MOD_RES
<222> (3)..(3)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (8)..(8)

<223> SULFATATION

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents from 0 to 334 amino acids, where if there are more than 2 amino acids, they have a sequence identical to the sequence set forth in SEQ ID NO: 1 beginning with the Glu at position 18 and extending therefrom in the carboxy terminal direction.

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa is any amino acid

<220>
<221> MOD_RES
<222> (12)..(12)
<223> AMIDATION

<400> 26

Xaa Xaa Tyr Asp Ile Asn Tyr Tyr Thr Ser Xaa Xaa
1 5 10

<210> 27
<211> 17
<212> PRT
<213> Homo sapiens

<400> 27

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 28
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (2)..(2)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (9)..(9)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> SULFATATION

<400> 28

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 29
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (9)..(9)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> SULFATATION

<400> 29

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 30
<211> 21
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (9)..(9)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> SULFATATION

<220>
<221> BINDING
<222> (21)..(21)

<223> BIOTIN

<400> 30

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu Gly Ala Gly Lys
20

<210> 31
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (9)..(9)
<223> SULFATATION

<400> 31

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 32
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (13)..(13)
<223> SULFATATION

<400> 32

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 33
<211> 5
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (1)..(1)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (5)..(5)
<223> SULFATATION

<400> 33

Tyr Asp Ile Asn Tyr
1 5

<210> 34
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (2)..(2)

<223> PHOSPHORYLATION

<220>
<221> MOD_RES
<222> (9)..(9)
<223> PHOSPHORYLATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> PHOSPHORYLATION

<400> 34

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 35
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (9)..(9)
<223> PHOSPHORYLATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> PHOSPHORYLATION

<400> 35

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu

<210> 36
<211> 21
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (9)..(9)
<223> PHOSPHORYLATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> PHOSPHORYLATION

<220>
<221> BINDING
<222> (21)..(21)
<223> BIOTIN

<400> 36

Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser
1 5 10 15

Glu Gly Ala Gly Lys
20

<210> 37

<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (1)..(1)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (11)..(11)
<223> SULFATATION

<400> 37

Tyr Val Ser Gln Pro Asp Asn Thr Tyr Ile Tyr Ser Tyr Glu Ser Ile
1 5 10 15

Asp

<210> 38
<211> 17
<212> PRT
<213> Homo sapiens

<220>
<221> MOD_RES
<222> (9)..(9)
<223> SULFATATION

<220>
<221> MOD_RES
<222> (13)..(13)
<223> SULFATATION

<400> 38

Ser Ile Asp Ile Tyr Asn Pro Thr Tyr Val Ser Asn Tyr Glu Ser Asp
1 5 10 15

Tyr